# Volume 31, Numbers 1-4, 1988

Abdominal circumference, fetal sonographic measurements of, 46, 49–50, 54 in twin gestations, 117

Abertalipoproteinemia, prenatal treatment of, 394 Abortion

induced

as ethical issue in prenatal diagnosis, 412–414 in fetal anomalies, 68–69, 93, 97–100

inevitable, 12 missed, 10

spontaneous, 12

antiphospholipid antibodies in, 970-972 after chorionic villus sampling, 340-341 in endometriosis, 808-809

threatened, ultrasonography in, 9-12

Absolok clips in gynecologic surgery, 721–723, 725, 726

Acebutolol in hypertension, 946

Acetylcholinesterase in amniotic fluid, disorders associated with, 265, 300–301

Acyclovir in herpes simplex infection, 502

Adenosine deaminase deficiency gene therapy in, 402

prenatal diagnosis with cordocentesis, 126

Adrenal hyperplasia, congenital, prenatal treatment of, 393

Adrenergic blockers

in coronary heart disease, 958 in hypertension, 945–948

in preterm labor prevention, 609-610, 636-640

Age

and endometriosis risk, 789-791

gestational

assessment in preterm labor, 53-55 estimation of, 653-654

and umbilical artery blood flow, 33-34

maternal

and Down's syndrome in infant, 306–307 and preterm birth rate, 522

Aged patients, preoperative evaluation in gynecologic surgery, 678–679

AIDS

and ELISA test for HIV, 894-895 from transfusions, 697-698

Albumin

infusions of, 695 serum levels of, 900

Alkaline phosphatase levels in serum, 900

Allergic rhinitis, 919–920

Alpha-fetoprotein, 295 elevated levels in amniotic fluid, disorders associated with, 264, 295–296

with, 264, 295–296 elevated levels in maternal serum, 293–304 and accuracy of test kits, 235–236, 318–319, 410 disorders associated with, 265, 296–297

in Down's syndrome, 306-326 and fetal death, 317-318

and preterm delivery, 607

psychological effects of, 303-304

and recommendations for follow-up studies, 297–303

screening for, 235-236

in trisomy 18, 318

unexplained elevations in, 303

Ambulatory patients, primary care for. See Primary care medicine

Amiloride in hypertension, 943

Ammonium chloride, 689

Amniocentesis

early, at 14 weeks or less, 345-351

clinical trials of, 348–349 karyotype analysis in, 347 technique of, 349–351

in twin gestations, 115–116, 119 Amnionitis in oligohydramnios, 58–59

Amniotic fluid

acetylcholinesterase in, disorders associated with, 265, 300-301

alpha-fetoprotein in

and disorders associated with elevated levels, 264, 295-296

in normal pregnancy, 295

bioactive agents in, and initiation of labor, 544-547 volume of

and chorioamnionitis, 58-59

in intrauterine growth retardation, 46

in twin pregnancies, 118

Amoxicillin

in bacteriuria in pregnancy, 483

clavulanate with, in urinary tract infections, 1006–1007, 1011

Ampicillin

in bacteriuria in pregnancy, 483 in cervicitis, chlamydial, 438

in postcesarean endometritis, 494, 497 in salpingitis, chlamydial, 440

sulbactam with, 430-431

**Analgesics** 

postoperative, 768 in preterm labor, 656

Anemia, fetal, prenatal treatment of, 24, 130-133

Anencephaly, 294

Anesthesia

epidural, umbilical artery blood flow in, 35 and liver disorders from halothane, 980

in preterm labor, 656

Angina pectoris, management of, 958

Angioplasty, coronary, percutaneous transluminal,

Angiotensin converting enzyme inhibitors in hypertension, 946, 949

Anomalies, fetal

echocardiography in, 64–68 karyotyping in, 127–128

and termination of pregnancy, 68-69, 93 parental reactions to, 97-100 and ultrasonography in chromosome abnormalities, umbilical artery blood flow in, 36-37 Antibiotics comparative costs of, 425 in pregnancy, and prevalence of preterm birth, 577-578 prophylactic use of, 466-471 in abdominal hysterectomy, 469-470 adverse effects of, 471 in cesarean section, 467-468 in gynecologic surgery, 681 in oncologic surgical procedures, 470-471 in vaginal hysterectomy, 468-469 and role of newer agents, 423-433 in urinary tract infections, 1006-1009 Antihypertensive agents, 946-948 α-Antitrypsin deficiency, prenatal diagnosis of, 279-Anxiety in endometriosis, 868-869 Aphthous stomatitis, 921-922 Arachidonic acid in amniotic fluid, 545-546 Arbitration, mandatory, in malpractice cases, 214-Arrhythmias, prenatal treatment of, 395 Arthritis, rheumatoid, 963-964 Ascites, fetal, disorders associated with, 265 Aspartate aminotransferase levels in serum, 119 Asphyxia, fetal and electronic heart rate monitoring, 179-183 and neonatal brain damage, 169-172 Aspirin in rheumatic diseases in pregnancy, 966 Atelectasis, postoperative, 764-765 Atenolol in hypertension, 946 Atresia, congenital, 265 Autoimmune disorders hepatitis, 981-982 lupus erythematosus, 962-963 and spontaneous abortion with anti-phospholipid antibodies, 968-969 Autophony, 915-916 Azathioprine in rheumatic diseases in pregnancy, 966 Azlocillin, 429 Aztreonam, 429-430

Bacteriuria, 480–481
asymptomatic, in pregnancy, 482–484
and preterm labor, 564–566
causes of, 1004
in pregnancy, 1012
Bacteroides infection
and preterm labor, 576
sensitivity to cephalosporins, 424
Bed rest in prevention of preterm labor, 607
Beta blockers
in coronary heart disease, 958
in hypertension, 946, 947
in preterm labor prevention, 609–610, 636–640
Bicarbonate, parenteral, 689
Biparietal diameter, fetal. See Head measurements, fetated

in postcesarean endometritis, 494

Bladder distention in fetus, disorders associated with, 265 postoperative management of, 767-768 Blood chemistry tests in screening of ambulatory patients, 898-900 Blood flow, uterine and umbilical, Doppler ultrasonography of, 27-41, 119 Blood loss, physiology of, 693 Blood pressure classification system, 942 measurements of, 942-944 Blood products, artificial, 696 Blood sampling, fetal cordocentesis in, 123-133, 285-291 percutaneous umbilical, 19-25 complications of, 24-25 indications for, 22-24 Blood transfusions. See Transfusions Bone marrow transplantation in genetic diseases, 396-**Bowel** disease functional, 974-976 inflammatory, in pregnancy, 978-979 Bowel preparation in gynecologic surgery, 681-682 Bradycardia, sinus, fetal, disorders associated with, 269 Brain damage, neonatal and electronic fetal heart rate monitoring, 179-183 and professional liability, 169-173 preparation for defense in, 186-188

Breathing movements, fetal, in preterm labor, 58

Breech presentation in preterm labor, 54-55, 657

Calcium channel blockers in coronary heart disease, 960 in hypertension, 950-951 in preterm labor prevention, 644-645 content in body, 687 serum levels of, 899 Calories in parenteral fluids, 689 Calymmatobacterium granulomatis, 462 Candidiasis, vaginitis in, 475-477 Canker sores, 923-924 Captopril in hypertension, D:169 Carbapenems, 431-432 Carboxylase deficiency, fetal therapy in, 392 Cardiovascular disease, and smoking, 956, 994-995 Cefamandole in postcesarean endometritis, 496 Cefazolin in bacteriuria in pregnancy, 483 in postcesarean endometritis, 494 Cefoperazone, 426 in postcesarean endometritis, 496 Cefotaxime, 423-424 in postcesarean endometritis, 496

Bumetanide in hypertension, 948

Buserelin in endometriosis, 840-853

in postcesarean endometritis, 496 Cefoxitin in postcesarean endometritis, 496, 497 in salpingitis, chlamydial, 440 Ceftazidime, 424–425 in postcesarean endometritis, 496

Cefotetan, 426-427

Ceftriaxone, 427 in chancroid, 461 in gonorrhea, 456 in salpingitis, chlamydial, 440 Celomic metaplasia, and endometriosis, 801-802 Cephalexin in bacteriuria in pregnancy, 483 Cephaloridine in bacteriuria in pregnancy, 483 Cephalosporins, 423-428 in gonorrhea, 456 Cephalothin in bacteriuria in pregnancy, 483 Cerclage, cervical, in pregnancy, 590-596, 609 Cerumen, impacted, 916 Cervicitis, chlamydial, 437-438 Cervix uteri evaluation by ultrasound in preterm labor, 57 incompetence of, 585-596 diagnosis of, 587-588 emergency cerclage in, 594-596 etiologic factors in, 585-587 McDonald cerclage in, 593 in nonpregnant state, treatment of, 590 in pregnancy, treatment of, 590-596, 609 and preterm labor, 527, 602 Shirodkar cerclage in, 591-592 sonographic detection of, 101-108 transabdominal cervicoisthmic cerclage in, 593treatment of, 588-596 Cesarean section endometritis after, 488-498 diagnosis of, 492-493 incidence of, 488 microbiology of, 489-492 pathophysiology of, 488-489 treatment of, 493-497 in preterm labor, 657-658 and prophylactic antibiotics, 467-468 Chancroid, 460-461 Cherney incision, 706 Chlamydial infections, 436-442 cervicitis, 437-438 endometritis, 438-439 postabortal or postpartum, 439-441, 491-492 and lymphogranuloma venereum, 461-462 in pregnancy, 441-442 and preterm labor, 568-570 respiratory, 441 salpingitis, 439 sensitivity to cephalosporins, 424 urethritis, 436-437 Chlorhexidine, antimicrobial effects of, 738, 740 Chloroquine in rheumatic diseases in pregnancy, 968 Chlorothiazide in hypertension, 948 Chlorthalidone in hypertension, 948 Cholelithiasis, 985-986 Cholera vaccine, 929 Cholestasis of pregnancy, 986-987 Cholesteatoma, infected, 918 Cholesterol levels in serum, 900 and coronary heart disease, 956-957 Chorioadenoma destruens, ultrasonography in, 12-13 Chorioamnionitis in oligohydramnios, 58-59 and preterm labor, 555-557 Choriocarcinoma, ultrasonography in, 12-13

Chorionic gonadotropin beta subunit levels in ectopic pregnancy, 5-6 serum levels in abnormal pregnancy, 10-12 Chorionic villus sampling, 328-342 biochemical studies in, 335-337 bleeding from, 338 cytogenetic procedures in, 335 accuracy of results in, 341-342 DNA analysis in, 337 historical aspects of, 328-331 infection from, 338-339 membrane rupture from, 339 perinatal complications from, 339-340 Rh sensitization from, 339 safety of, 337-338 and spontaneous abortion, 340-341 timing of, 331 tissue preparation in, 335 transabdominal procedure in, 334-335 transcervical procedure in, 331-334 Chorionicity determination in twin gestations, 113-Choroid plexus cysts, fetal, in trisomy 18, 84 Chromosome abnormalities, fetal and karyotyping with cordocentesis, 92, 127-128, 287-288. See also Karyotype, fetal sonographic findings in, 80-94 Cilastatin, 431-432 in postcesarean endometritis, 497 Ciprofloxacin, 432 in urinary tract infections, 1009, 1013 Cirrhosis, primary biliary, 980-981 Clavulanic acid amoxicillin with, in urinary tract infections, D:229-230, 1013 ticarcillin with, 430 Cleft lip/palate, disorders associated with, 265 Clindamycin in genital Mycoplasma infection, 445 in postcesarean endometritis, 494, 496, 497 in salpingitis, chlamydial, 440 Cloacal defects, disorders associated with, 265 Clonidine in hypertension, 949 in postpartum endometritis, 491 sensitivity to cephalosporins, 424 Clotrimazole in vaginal candidiasis, 475-476 Coagulopathies, prenatal diagnosis with cordocentesis, Colitis, ulcerative, in pregnancy, 978-979 Colloids, artificial, 696 Colony-stimulating factor in amniotic fluid, 547 Colorectal cancer, screening for, 976-977 Communication with patients, and prevention of liability, 145, 153-160 Confidentiality in genetic counseling, legal aspects of, 248-250 Consent, informed. See Informed consent Contraceptives, oral in endometriosis, 823-824 and liver diseases, 981-982 and rheumatic diseases, 969 and risks from smoking, 956, 995-996 Contractures, congenital, disorders associated with,

hearing tests in, 919-920

Conversion disorders, 906 Cordocentesis, 19-25, 123-133, 285-291 in blood disorders, 125-126 complications of, 24-25 in congenital infections, 126-127, 289 for fetal therapy evaluation, 291 in genetic disorders, 290-291 in growth retardation, 288-289 in hemolytic disease, 287 in hydrops fetalis, 289 in hypoxia, 128-130 indications for, 22-24 in karyotyping of fetus, 92, 127-128, 287-288 in metabolic disorders, 127 technique of, 123-125 in thrombocytopenia, 289-290 in twin-twin transfusion, 290 Coronary arteries bypass surgery, 960-961 percutaneous transluminal angioplasty, 961 Coronary heart disease, 955-961 angioplasty in, percutaneous transluminal, 961 bypass grafts in, 960-961 clinical features of, 958 diagnosis of, 958-959 management of, 959-961 risk factors in, 955-958 Corpus luteum cysts in pregnancy, ultrasonography of, Corticosteroid therapy intrapartum, and neonatal outcome, 654-655 and postoperative wound healing, 755 preoperative, in gynecologic surgery, 678 in rheumatic diseases in pregnancy, 968 Craniofacial abnormalities, fetal, in trisomy 13, 85-87 CREST syndrome, 966-967 Crohn's disease in pregnancy, 978-979 Cryoprecipitate transfusions, 695 Cyclophosphamide in rheumatic diseases in pregnancy, 968 Cyst formation corpus luteum, ultrasonography of, 14 fetal choroid plexus, in trisomy 18, 84 disorders associated with, 266 placental, in triploidy, 90 Cystic fibrosis, prenatal diagnosis of, 276-277, 280

disorders associated with, 266
fetal karyotyping in, 128
in Turner syndrome, prenatal sonographic detection of, 88
Cystitis
acute, in pregnancy, 484–485
dysuria in, 1005–1006

Cytomegalovirus infection, 503–504
prenatal diagnosis with cordocentesis, 126–127
from transfusions, 697

Danazol in endometriosis, 829–837 clinical results with, 834–835 dosage and administration of, 833–834 side effects of, 835–836 Deafness causes of, 920–921

Cystic hygroma

sudden, 918-919 Death of fetus disorders associated with, 266 and maternal serum alpha-fetoprotein levels, 317-Decidual activation in initiation of labor, 544-547 Dehiscence of wounds in gynecologic surgery, 754-Delusions, somatic, 905-906 Denial of illness in endometriosis, 870-871 Dextrans as volume expanders, 696 Diabetes mellitus and coronary heart disease, 956 postoperative wound healing in, 755 in pregnancy and fetal macrosomia, 48 and umbilical artery blood flow in fetus, 36 and preoperative evaluation in gynecologic surgery, Diaphragmatic hernia, fetal, in trisomy 18, 88 Diaphragm use, and urinary tract infections, 1005, Diethylstilbestrol exposure and cervical incompetence, 586 and preterm birth rate, 528 Diltiazem in hypertension, 948 Disease prevention and health maintenance for women, 927-939 Diuretics in hypertension, 947, 948 DNA studies, prenatal, 270–284 in chorionic villus sampling, 337 Donovan's bacillus, 462-463 Doppler ultrasonography for uterine and umbilical blood flow, 27-41, 119 Down's syndrome fetal sonographic findings in, 81-83 and maternal serum alpha-fetoprotein levels, 306and maternal age, 308-311 and maternal weight, 313-315 repeat measurements in, 315-317 Doxycycline in cervicitis, chlamydial, 438

in lymphogranuloma venereum, 462 in salpingitis, chlamydial, 440 in urethral syndrome, chlamydial, 437 Drainage in gynecologic surgery, 744–752 prophylactic, 747–750 recommendations for, 750–751 therapeutic, 751–752 types of drains in, 745–747 Drug abuse, maternal, and preterm labor, 525 Drug-induced liver disease, 981–983

Duchenne muscular dystrophy, prenatal diagnosis of, 276, 278

Duodenal atresia, fetal in Down's syndrome, 82–83

karyotyping in, 128 Dysmenorrhea in endometriosis, 877 Dysphagia, 925

Dysuria, 1005-1006

Ear disorders, 916–921 Echocardiography, fetal, 61–80

in arrhythmias, 69-71 in malformations, 64-68 normal anatomy in, 61-64 and screening for congenital disease, 69 Ectopic pregnancy, ultrasonography in, 3-9 Electrolytes, 687-688 in parenteral fluid, 688-689 preoperative imbalances of. 690-691 Embolism, pulmonary, postoperative, 682, 766, 768-Employment during pregnancy, and preterm delivery, 526,605 Enalapril in hypertension, 948 Encephaloceles, 294 disorders associated with, 266 Endometriosis age factors in, 789-791 celomic metaplasia in, 801-802 classification and staging systems for, 781-782, 821 in congenital anomalies of genital tract, 780, 794, 818 danazol in, 829-837 clinical results with, 834-835 dosage and administration of, 833-834 side effects of, 835-836 delayed childbearing in, 795-796, 806 diagnosis of, 819-821 dissemination of endometrial cells in, 804-805 dysmenorrhea in, 877 embryonic cell rests in, 802 emotional aspects of and expectations of patient, 866-873 and physician-patient relationship, 874-882 epidemiology of, 787-798 estrogen-progestin regimens in, 823-824 etiology of, 780-781, 801-807 exercise affecting, 797 familial factors in, 780, 797-798, 808 gestrinone in, 827 gonadotropin-releasing hormone agonists in, 835, 840-853 adverse effects of, 848-851 clinical results with, 843-844 dosage of, 844-846 hormonal changes from, 846-847 laparoscopic findings in, 847 pregnancy after, 847 structural and biologic properties of, 841-843 height and weight factors in, 797 hormone factors in, 806-807 immunologic factors in, 807 incidence of, 781, 787-788 individualization of therapy in, 862-864 infertility in, 808-810, 813-816 gamete intrafallopian transfer in, 860-861 in vitro fertilization in, 860-861 psychologic aspects of, 871-872 treatment plan in, 863, 877-878, 886-887 locations of, 781, 818-819 lynestrenol in, 826-827 malignant transformation of, 784 and marital status, 794 medroxyprogesterone acetate in, 824-826 menstrual disorders in, 795, 805-806

menstrual hygiene affecting, 796-797

outflow obstruction in, 806 ovulation defects in, 795 pathology of, 782-784 in pelvic inflammatory disease, 794-795 pelvic pain in, 816-817 psychologic aspects of, 871 treatment of, 863-864, 878 in pelvic peritoneal defects, 795 peritoneal changes in, 784, 810 progestogens in, 824-827 racial factors in, 791-793, 808 retrograde menstruation in, 803-804 review questions, 889 risk factors for, 788 smoking affecting, 797 socioeconomic status in, 793 surgery in, 857-864 conservative laparotomy, 859-860 definitive, 861-862 laparoscopic, 858 laser, 858-859 medical therapy with, 860 and tampon use, 796-797 transplanted exfoliated endometrial cells in, 802-803 treatment approach in, 883-887 in infertility, 886-887 initial consultation in, 883 for noninfertility patient, 887 in potential infertility, 885-886 selection of medications in, 884-885 by stage of disease, 884 unusual presentations in, 817-819 treatment of, 862 uterine retrodisplacement in, 794 **Endometritis** chlamydial, 438-439 postabortal or postpartum, 439-441 postpartum after cesarean section, treatment of, 488-498 chlamydial, 439-441 streptococci in, group B, 446 Enterobacter sensitivity to cephalosporins, 424 Enterococcus sensitivity to cephalosporins, 424 Epistaxis, 923 Erythromycin in cervicitis, chlamydial, 438 in chancroid, 461 in genital Mycoplasma infection, 445 in gonorrhea, 456 Escherichia coli in postpartum endometritis, 491 sensitivity to cephalosporins, 424 Estrogen secretion in pregnancy, 538 Ethacrynic acid in hypertension, 948 Ethical issues in prenatal diagnosis, 408-416 Eustachian tube, normal function of, 917 Exercise, and endometriosis, 797 Exomphalos, fetal karyotyping in, 128

Facial skin, examination of, 915
Fallopian tubes
dysfunction of, and endometriosis, 808
gamete intrafallopian transfer (GIFT), in endometriosis, 860–861

Fatty liver of pregnancy, acute, 986 Femur length, fetal sonographic measurements of, 46, 54 in twin gestations, 117 Fertilization in vitro, in endometriosis, 860-861 α-Fetoprotein. See Alpha-fetoprotein age and weight estimations, 653-654 anemia in, correction of, 24, 130-132 anomalies of, and termination of pregnancy, 68-69, parental reaction to, 97-100 blood sampling by cordocentesis, 19-25, 128-130, 285-291 breathing movements in preterm labor, 58 chromosome abnormalities of, sonographic findings diagnosis of disorders in. See Prenatal diagnosis echocardiography of, 61-80 growth retardation of. See Growth retardation, inhypoxia of, maternal hyperoxygenation in, 130 karyotyping with cordocentesis, 92, 127-128, 287monitoring in preterm labor, 655-656 role in maintenance of pregnancy, 544, 560 therapies for, 390-404. See also Prenatal therapy Fibrositis, 964 Fluid compartments of body, 686-687 Fluid therapy, intravenous, 688-692 calories in, 689 electrolytes in, 689 indications for, 689 intraoperative, 691 postoperative, 691-692, 763 preoperative, 690-691 Fluoroquinolones, 432-433 5-Fluorouracil in wart removal, 505 Fractures, fetal, disorders associated with, 266 Fragile X syndrome fetal karyotyping in, 127 prenatal diagnosis of, 278

Galactosemia, prenatal treatment of, 393-394 Gallstones, 985-986 Gardnerella vaginalis in postpartum endometritis, 491 Gastroesophageal reflux, 977-978 Gastrointestinal disorders, 974-987 postoperative, 766-767 Gaucher's disease, gene therapy in, 403 Gelatins as volume expanders, 696 Gene therapy, 399-404 in adenosine deaminase deficiency, 402 in hemophilia, 403 in Lesch-Nyhan syndrome, 403 prenatal, 404 in purine nucleoside phosphorylase deficiency, 402 retrovirus vectors in, 400-401 in storage diseases, 403-404 in  $\beta$ -thalassemia and hemoglobinopathies, 402-403 Genetic disorders, prenatal diagnosis of. See Prenatal Gentamicin

in bacteriuria in pregnancy, 483

Furosemide in hypertension, 948

in salpingitis, chlamydial, 440 Geriatric patients, preoperative evaluation in gynecologic surgery, 678-679 Gestrinone in endometriosis, 827 Glucose levels in serum, 898-899 Glutathione synthetase deficiency, prenatal treatment of, 394 Gold therapy in rheumatic diseases in pregnancy, 968 Gonadotropin-releasing hormone agonists in endometriosis, 835, 840-853 Gonorrhea, 454-457 and preterm labor, 576-577 Granuloma inguinale, 462-463 Granulomatous disease, chronic, prenatal diagnosis with cordocentesis, 126 Growth retardation, intrauterine cordocentesis in, 288-289 disorders associated with, 267 in hypoxia, 129 karyotyping in, 128 sonographic diagnosis of, 44-47, 54 in twin gestations, 116 umbilical artery blood flow in, 35-36 Guanabenz in hypertension, 949 Guanethidine in hypertension, 949 Gynecologic surger autologous blood in, 681 blood component therapy in, 692-698 bowel preparation in, 681-682 deep venous thrombosis prophylaxis in, 682-683 drainage in, 744-752 in endometriosis, 857-864 fluid replacement in, 688-692 hematomas in, 759 incisions in, 700-710 draining sinuses from, 758-759 informed consent and rapport in, 683-684 metabolic response to, 761-764 positioning of patient in, 684 postoperative care in, 761-769 analgesia in, 768 bladder management in, 767-768 gastrointestinal management in, 766-767 respiratory management in, 764-766 preoperative evaluation in, 673-684 in aged or geriatric patients, 678-679 in healthy patients, 673-675 nutrition index in, 680-681 in obesity, 679-680 in patients with surgical risk factors, 675-678 prophylactic antibiotics in, 681 review questions, 771 seromas in, 759 skin preparation in, 684, 736-742 hair removal in, 684, 739 for operative site, 684, 737-739 for surgeon's hands, 740-741 suture materials in. See Suture material and ligation clips in gynecologic surgery vaginal preparation in, 739-740 wound dehiscence in, 754-758

in postcesarean endometritis, 494, 496, 497

Hair removal, preoperative, in gynecologic surgery, 684, 739

Halothane, liver disorders from, 982 Hartmann's solution, 689 Head measurements, fetal in Down's syndrome, 82 sonography in, 45-46, 49, 54 in twin gestations, 110-111, 116-117 Health maintenance and disease prevention for women, 927-939 Hearing aids, 921 Hearing loss causes of, 920-921 sudden, 918-919 testing in, 919-920 Heart disease congenital in Down's syndrome, 83 and screening with fetal echocardiography, 69 in trisomy 13, 87 in Turner syndrome, 89 coronary heart disease, 955-961 and preoperative evaluation in gynecologic surgery, 676-677 Heart rate, fetal intrapartum monitoring of, and professional liability, 179-183 and umbilical artery blood flow, 39-40 and umbilical vein volume flow, 40 Hematology as screening procedure, 897-898 fetal, disorders associated with, 266 wound, in gynecologic surgery, 759 Hemoglobinopathies gene therapy in, 402-403 prenatal diagnosis of, 277-278 cordocentesis in, 125 Hemolytic disease of newborn, cordocentesis in, 287 Hemophilia gene therapy in, 403 prenatal diagnosis of, 278 cordocentesis in, 125 Hemophilus ducreyi, 460-461 Hepatitis autoimmune, 983-984 in pregnancy, 984-985 from transfusions, 697 type B, 506-508 vaccines for, 928, 929 Herpes simplex infection, 502-503 Histrelin in endometriosis, 840-853 Hoarseness, 925 Hormone deficiencies, prenatal treatment of, 395 Huntington disease, genetic markers in, 279 Hydatidiform mole partial, in triploidy, 90-91 ultrasonography in, 12-13 Hydralazine in hypertension, 948 Hydramnios, disorders associated with, 266 Hydrocephalus, disorders associated with, 267 Hydrochlorothiazide in hypertension, 948 Hydronephrosis, disorders associated with, 267 Hydrops fetalis cordocentesis in, 289 disorders associated with, 267 Hydrothorax, disorders associated with, 267

Hydroureter, disorders associated with, 267

nancy, 968 Hygroma, cystic disorders associated with, 266 fetal karyotyping in, 128 in Turner syndrome, prenatal sonographic detection of, 88 Hypertension, 941-953 adrenergic blockers in, 947-950 benefits of treatment in, 941-942 diuretics in, 948, 949 etiology of, 939-945 evaluation process in, 945-947 management of, 947-953 sodium restriction in, 947 Hyperthyroidism, gynecologic surgery in, 678 Hypochondriasis, 907 Hypokalemia, preoperative correction of, 678, 691 Hypovolemia and preterm labor, 529-530 in surgical patients, 678 Hypoxanthine phosphoribosyl transferase deficiency, gene therapy in, 403 Hypoxia, fetal cordocentesis in, 128-130 maternal hyperoxygenation in, 130 Hysterectomy abdominal, prophylactic antibiotics in, 469-470 vaginal, prophylactic antibiotics in, 468-469 Imipenem, 431-432 in postcesarean endometritis, 497 Immune serum globulin vaccine for hepatitis A, 929 Immunizations for adults, 928-929 Immunodeficiency acquired (AIDS) and ELISA test for HIV. 894-895 from transfusions, 697-698 severe combined, prenatal diagnosis with cordocentesis, 125-126 Immunologic factors in endometriosis, 807 and infertility, 809-810 Incisions in gynecologic surgery, 700-710 anatomy in, 700-701 Cherney, 706 and dehiscence of wounds, 756 draining sinuses from, 758-759 general principles in, 701-703 Maylard, 705 midline, 703 in obese patients, 707-710 paramedian, 703-704 Pfannenstiel, 704-705 transverse, 704-707 vertical, 703-704 Infection and bacterial reactions to suture materials, 728-729 chlamydial, 435-442 from chorionic villus sampling, 338-339 congenital, cordocentesis in, 126-127, 289 mycoplasmal, genital, 442-445 new antimicrobial agents in, 413-433 and postoperative wound healing, 755 and preterm labor, 553-578, 601

asymptomatic bacteriuria in, 563-566

Hydroxychloroquine in rheumatic diseases in preg-

bacterial vaginosis in, 574-576, 604 Bacteroides in, 576 Chlamydia trachomatis in, 568-570 gonorrhea in, 576-577 group B streptococcus in, 566-568 Mycoplasma in, 570-573 Staphylococcus epidermidis in, 576 trials of antimicrobial agents in, 577-578 Trichomonas vaginalis in, 573-574 prophylactic antibiotics in, 466-471 review questions, 511-512 sexually transmitted, 453-463 streptococcal, group B, 445-448 from transfusions, 697 urinary tract, 1003-1014 in pregnancy, 480-486, 1014 vaginitis, 473-478 viruses in. 501-508 Infertility in endometriosis, 808-810, 813-816 gamete intrafallopian transfer in, 860-861 in vitro fertilization in, 860-861 psychologic aspects of, 871-872 treatment plan in, 863, 877-878, 886-887 Influenza virus vaccine, 928 Informed consent in gynecologic surgery, 683-684 and legal aspects of prenatal diagnosis, 238-241 and professional liability, 151-152 Insurance industry, and professional liability, 143-144 Interleukin-l in amniotic fluid, 546-547 in infections, 561 Intestinal dysfunction, postoperative, 766-767 Irritable bowel syndrome, 974-976 Ischemia, and postoperative wound healing, 755

Kanamycin in postcesarean endometritis, 494
Karyotype, fetal
and chorionic villus sampling, 335, 341–342
cordocentesis in, 92, 127–128, 287–288
and early amniocentesis, 347
and maternal serum alpha-fetoprotein levels, 302
Kidney
defects in, and fetal karyotyping, 128
ectopic, disorders associated with, 269
polycystic disease

disorders associated with, 268 prenatal diagnosis of, 279 preoperative evaluation of function, 677 Klebsiella sensitivity to cephalosporins, 424

Labetolol in hypertension, 948
Labor
inhibiting agents, 635–648
initiation of, 533–548
decidual activation in, 544–547
organ communication system in, 543–544
oxytocin theory of, 541–543
progesterone withdrawal in, 535–541
preterm. See Preterm labor
ultrasonography in
in preterm labor, 53–59
in twin gestations, 119–120

umbilical artery blood flow in, 34-35

Laboratory tests for screening of ambulatory patients, 893-900 β-Lactamase inhibitors, penicillin with, 430-431 Lactate dehydrogenase levels in serum, 900 Lactomer clips in gynecologic surgery, 721-723, 725, Laparoscopic surgery in endometriosis, 858 Laparotomy in endometriosis, 859-860 Laser surgery in endometriosis, 858-859 Lecithin/sphingomyelin ratio in twin gestations, 119 Legal aspects of prenatal diagnosis, 233-251 of professional liability, 142-143 Leiomyomas of uterus in pregnancy, ultrasonography of. 15-17 Lesch-Nyhan syndrome, gene therapy in, 405 Leukocyte transfusions, 694 Leuprorelin in endometriosis, 840-853 Liability, professional causation in, 195-196 and communication with patients, 145, 153-160 failures of, 159-160 forms of, 156-157 by hospital staff, 158-159 by office staff, 159 cost of, 150 and early tender alternative, 213-214 effects on patients, 146, 151 and electronic fetal heart rate monitoring, 179-183 epidemiology and demography of, 148-152 etiology of, 141-147 facts versus law in, 191-192 facts versus opinion in, 192-194 and informed consent, 151-158 injury and damages in, 196-197 and insurance coverage, 151 insurance industry in, 143-144 jurisdiction in, 191 law of torts in, 190-191 legal system in, 142-143 and mandatory binding arbitration, 214-215 and medical adversity insurance, 215 in neonatal brain dysfunction, 169-173 and no-fault systems, 212-213 and patient expectations, 144-145, 155, 167 physicians as factor in, 145-146 in prenatal diagnosis, 233-251 and presentation of medical testimony, 201-208 and public attitudes toward doctors, 217-222 and quality assurance programs, 162-166 and reform of tort system, 209-212 alternatives to, 212-215 review questions, 225-226 and risk management programs, 166-167 and standard of care, 194-195 and sterilization litigation, 174-178 and trial preparation legal perspective in, 190-200 medical viewpoint in, 184-189 and working with defense counsel, 197-199 Ligation clips. See Suture material and ligation clips in gynecologic surgery Lisinopril in hypertension, 948

Liver disease, 980-987

autoimmune hepatitis, 983-984

drug-induced, 981-983 in pregnancy, 984-987 primary biliary cirrhosis, 980-987 cancer of, and smoking, 992-994 diseases of, and preoperative evaluation in gynecologic surgery, 675-676 maturity in fetus in twin gestations, 119 Lupus anticoagulant, and preterm delivery, 607 Lupus erythematosus, 964-965 Luteal phase defect, endometriosis in, 808 Luteinized unruptured follicle, and endometriosis, Lymphocyte transfusions, 694

Macrocephaly, disorders associated with, 267 Macrosomia, fetal, sonographic diagnosis of, 47-50 Magnesium content in body, 688 Magnesium sulfate in preterm labor prevention, 640-

Lymphogranuloma venereum, 461-462

Lynestrenol in endometriosis, 826-827

Magnetic resonance imaging in prenatal diagnosis,

in abdominal pregnancy, 380 contrast and intensity in, 361-363 indications for, 353-354 in maternal abdominal masses, 382-384 in pelvimetry, 381-382 principles involved in, 354-361 pulse sequences in, 363-370 visualization of fetus in, 374-377 visualization of placenta in, 377-380 Malingering, 906 Malpractice. See Liability, professional

Manganese deficiency, fetal, 394 Maylard incision, 705 McDonald cerclage, cervical, 593 Measles virus vaccine, 928 Medroxyprogesterone acetate in endometriosis, 824-

826 Membrane rupture, premature and biparietal diameter measurements, 55 from chorionic villus sampling, 339

incidence of, 521, 600

and intraamniotic infection, 554-555, 561 uterine contractility in, 529

Meniere's disease, 921 Meningomyeloceles

disorders associated with, 267 in trisomy 18, 84

Menkes syndrome, prenatal treatment of, 394-395 Menopause, and coronary heart disease, 957 Menstrual disorders in endometriosis, 795, 805-806 Menstruation, retrograde, and endometriosis, 803-

Metabolism

disorders in, prenatal diagnosis with cordocentesis, 127

postoperative, 761-764 Metallic ligating clips in gynecologic surgery, 718-720 Methotrexate, liver disease from, 983 Methylmalonic acidemia, fetal therapy in, 392 Metolazone in hypertension, 948

Metoprolol in hypertension, 948

Mezlocillin, 429 in postcesarean endometritis, 497 Miconazole in vaginal candidiasis, 475-476 Microcephaly, disorders associated with, 268

Metronidazole in trichomoniasis, 474-475

Microphthalmia, disorders associated with, 268 Mineral replacement therapy, 688 Minoxidil in hypertension, 948

Molar pregnancy, ultrasonography in, 12-13 Molecular genetic diagnosis, prenatal, 270-284 Monitoring of fetus in preterm labor, 655-656 Monobactams, 429-430

Mosaicism, fetal karyotyping in, 127 Mouth and oropharyngeal disorders, 923-926 Moxalactam, 427-428

in postcesarean endometritis, 496

Multiple gestation bed rest in, 607 cordocentesis in twin-twin transfusion, 290 disorders associated with, 269 nonstress test in, 118 and preterm birth rate, 528, 599-600 ultrasonography in, 110-120 and aminocentesis, 115-116, 119 in antepartum assessment, 118-119 in chorionicity determination, 113-115 in diagnosis, 111-113 in fetal growth evaluation, 116-118 in intrapartum management, 119-120 in polyhydramnios, 118

umbilical artery Doppler sonograms in, 36 Mumps virus vaccine, 928 Muscular dystrophy Duchenne, prenatal diagnosis of, 276, 278 myotonic, prenatal diagnosis of, 279 Mycoplasma infections, genital, 442-445 in postpartum endometritis, 491 and preterm labor, 570-573 sensitivity to cephalosporins, 424

Myringitis bullosa, 917

Nadolol in hypertension, 948 Nafarelin in endometriosis, 840-853 Nasopharynx. See Nose and nasopharynx disorders Negligent nondisclosure, legal aspects of, 241-245 Neisseria gonorrhoeae, 343-347 sensitivity to cephalosporins, 424 Neural tube defects, 294-295 and elevated alpha-fetoprotein levels, 295-297 Neurofibromatosis, prenatal diagnosis of, 279 Neutrophil transfusions, 694 Nifedipine

in hypertension, 948 in preterm labor prevention, 644-645 Nitrofurantoin in bacteriuria in pregnancy, 483

liver disease from, 983 in urinary tract infections, 1008, 1013 No-fault system as alternative to tort reform, 212-213 Norfloxacin, 432

in urinary tract infections, 1009, 1013 Nose and nasopharynx disorders, 921-923 allergic rhinitis, 921-922 chronic nasal obstruction, 922-923

epistaxis, 923

polyps, 923 Phenylketonuria, prenatal diagnosis of, 280 sinusitis, acute, 922 Phospholipids, antibodies to, and spontaneous aborvestibulitis, 923 tion, 970-972 Nuchal skin thickening, fetal, in Down's syndrome, Phosphorus content in body, 688 Physical activity, and preterm birth rate, 525, 607 Nutrition Physicians, professional liability of. See Liability, propostoperative, 764 fessional preoperative evaluation of, 680-681 Pindolol in hypertension, 948 and preterm birth rate, 525 Piperacillin, 429 Nystatin in vaginal candidiasis, 475-476 Placenta Obesity and coronary heart disease, 957 and incisions for gynecologic surgery, 707-710 and postoperative wound healing, 755 and preoperative evaluation in gynecologic surgery, 679-680 Oligohydramnios and chorioamnionitis, 58-59 Pleural effusion, fetal disorders associated with, 268 in intrauterine growth retardation, 46 **Omphalocele** disorders associated with, 268 in trisomy 18, 84 Polio vaccine, 928 Oropharyngeal disorders, 923-926 Polydactyly externa, 916 in trisomy 13, 87 media acute, 917 serous, 918 Otosclerosis, 920 Polyps, nasal, 923 Otospongiosis, 920 Ovarian tumors in pregnancy, ultrasonography of, Potassium Ovulation defects in endometriosis, 795 Oxytetracycline in chlamydial cervicitis, 438 Oxytocin role in initiation of labor, 541-543 Pregnancy pelvic, in endometriosis, 816-817 psychologic aspects of, 871 treatment of, 863-864, 878 psychogenic, 907 relief of postoperative, 768 in preterm labor, 656 Papillomavirus infection, 504-506 Pelvic inflammatory disease, endometriosis in, 794-Pelvimetry, magnetic resonance imaging in, 381-382 Penicillamine in rheumatic diseases in pregnancy, 968 Penicillins broad-spectrum, 429  $\beta$ -lactamase inhibitors with, 430–431 Prenatal diagnosis in postcesarean endometritis, 494, 496 in salpingitis, chlamydial, 400 in syphilis, 458 Peptostreptococci sensitivity to cephalosporins, 424 Pericardial effusion, fetal, disorders associated with, Pfannenstiel incision, 704-705 Pharyngitis, 924 Phenobarbital, intrapartum, and neonatal outcome,

in postcesarean endometritis, 497 abnormalities of, disorders associated with, 268 cystic, in triploidy, 90 pathology in preterm labor, 555-557 visualization by magnetic resonance imaging, 377-Plasma transfusions, 695 Platelet-activating factor in amniotic fluid, 546 Platelet transfusions, 694 disorders associated with, 268 karvotyping in, 128 Pneumococcal polysaccharide vaccine, 928 Podophyllin in wart removal, 505 disorders associated with, 268 Polyhydramnios in twin pregnancies, 118 Polymeric ligating clips in gynecologic surgery, 720-Postoperative care in gynecologic surgery, 761-769 content in body, 687 hypokalemia correction, preoperative, 678, 691 serum levels of, 899 Povidone iodine, antimicrobial effects of, 738, 740 Prazosin in hypertension, 948 chlamydial infections in, 441-442 ectopic, magnetic resonance imaging in, 380 inflammatory bowel disease in, 978-979 liver disease in, 984-987 Mycoplasma infections in, 443-445 rheumatic diseases in, 964-972 anti-rheumatic drugs in, 967-969 smoking in, 996-997 streptococcal infections in, group B, 445-448 ultrasonography in, 3-17 urinary tract infections in, 480-486, 1014 Premature rupture of membranes. See Membrane rupture, premature Prenatal care, and preterm birth rate, 527 alpha-fetoprotein elevations in in amniotic fluid, 264, 295-296 in maternal serum, 293-304 amniocentesis in, at 14 weeks or less, 345-351 chorionic villus sampling in, 328-342 cordocentesis in, 19-25, 123-133, 285-291 ethical issues in, 408-416 and consideration of eugenics, 416 and participation of mother, 414-415

and proxy decision making, 415-416 and standards for testing programs, 409-410 legal aspects of, 233-251 listing of diagnosed conditions, 255-269 magnetic resonance imaging in, 353-385 molecular genetic analysis in, 270-284 in autosomal dominant disorders, 279 in autosomal recessive disorders, 279-280 in cystic fibrosis, 276-277, 280 direct detection in, 272 in Duchenne muscular dystrophy, 276, 278 in hemoglobinopathies, 277-278 indirect detection in, 272-275 in sickle cell anemia, 275-276, 277 in X chormosome disorders, 278 moral status of fetus in, 411-412 review questions, 419-420 and termination of pregnancy, 412-414 Prenatal therapy, 390-404 in abetalipoproteinemia, 394 in adrenal hyperplasia, 393 in arrhythmias, 395 in carboxylase deficiencies, 392 in galactosemia, 393-394 gene therapy in, 404 hematopoietic stem cells in, 396-399 in hormone deficiencies, 394 in manganese deficiency, 394 in Menkes' syndrome, 394-395 in metabolic disorders, 392-395 in methylmalonic acidemia, 392 prerequisites for, 391-392 transfusions in, 395-396 Preoperative evaluation in gynecologic surgery, 673-Preterm labor assessment of risk in, 603 breech presentation in, 54-55, 657 and cervical incompetence, 585-596, 602 cesarean delivery in, 657-658 and communication with neonatologists, 654 and communication with referring hospital, 659and drugs to improve neonatal outcome, 654-655 early diagnosis of, 610-611 ambulatory uterine monitoring in, 611, 616-633 epidemiology of, 521-530, 600 estimation of gestational age and fetal weight in, 653-654 and follow-up studies of infants, 662-666 changing outcome results in, 664-665 limitations of data in, 663-664 predictability of outcome in, 665-666 forceps and episiotomy in, 659 in infections, 553-578, 602 and initiation of parturition, 533-548 intrapartum monitoring in, 655-656 management of, 652-660 and maternal transfer to tertiary perinatal care center, 652-653 pain management in, 656 pharmacologic treatment of, 609-610, 635-648 β-adrenergic agonists in, 609-610, 636-640 agents used in, 636-645 calcium channel blockers in, 644-645

contraindications for, 636 indications for, 635-636 magnesium sulfate in, 640-641 multiple agents in, 647 prostaglandin inhibitors in, 641-644 selection of agents in, 645-647 prevention of, 599-612 activity restriction in, 607-608 and attitudes of obstetricians, 601-602 cervical cerclage in, 590-596, 609 cervical examination in, 608-609 prepregnancy, 602-603 prophylactic medication in, 609-610, 635-648 routine prenatal care in, 603-605 screening for group B streptococcus in, 608 and resuscitation of neonate, 659 review questions, 669-670 risk factors associated with, 522-528, 600 symptoms of, 604 ultrasonography in, 53-59 Preventive medicine, 927-939 Primary care medicine computer-integrated database in, 930-939 in coronary heart disease, 955-961 disease prevention in, 927-939 in ear disorders, 916-921 facial skin evaluation in, 915 in gastrointestinal disorders, 974-987 in head and neck problems, 915-926 in hypertension, 941-953 laboratory tests in, 893-900 blood chemistry, 898-900 for healthy subjects, 897 hematology, 897-898 interpretation of, 893-896 selection of laboratory in, 896-897 urinalysis, 898 in mouth and oropharyngeal disorders, 923-925 in nose and nasopharyngeal disorders, 921-923 review questions, 1017-1018 in rheumatic diseases, 963-972 in smoking prevention and reduction, 989-1000 in somatization, 902-913 in urinary tract infections, 1003-1014 Progesterone in prevention of preterm labor, 610 withdrawal hypothesis for initiation of labor, 535-Progestogen therapy in endometriosis, 824-827 Propranolol in hypertension, 948 **Prostaglandins** in amniotic fluid, 546 bioavailability in infections with preterm labor, inhibitors of, in preterm labor prevention, 641-644 Protein levels in serum, 900 Proteus sensitivity to cephalosporins, 424 Pseudomonas aeruginosa sensitivity to cephalosporins, 424 Psychologic aspects in endometriosis and expectations of patient, 866-873 and physician-patient relationship, 874-882 of maternal serum alpha-fetoprotein screening, 303-304

and preterm labor in stress, 529 in somatization, 902–913
Pterygia, disorders associated with, 268
PTFE clips in gynecologic surgery, 720
Purine nucleoside phosphorylase deficiency, gene therapy in, 402
Pyelonephritis, 1013–1014
acute, in pregnancy, 485–486

Quality assurance programs as deterrents to professional liability, 162-166

Rabies vaccine, 928 and endometriosis incidence, 791-793, 808 and preterm birth rate, 522-523 Radial aplasia, disorders associated with, 269 Radiation therapy, and postoperative wound healing, 756 Raynaud's phenomenon, 967 Reflux, gastroesophageal, 977-978 Relaxin levels in serum, and cervical incompetence, 586-587 Reserpine in hypertension, 949 Respiration, fetal, in preterm labor, 58 Respiratory disorders in chlamydial infections, 441 postoperative, 764-766 Resuscitation of preterm neonates, 659 Rh sensitization from chorionic villus sampling, 339 Rheumatic diseases, 963-972 Rheumatoid arthritis, 965-966

Rheumatoid arthritis, 965–966 Rhinitis, allergic, 921–922 Ringer's solution, lactated, 689 Risk management programs as d

Saline solutions, parenteral, 689

Risk management programs as deterrents to professional liability, 166-167

Ritodrine in preterm labor prevention, 609, 637 Rosaramicin in chlamydial cervicitis, 438 Rubella

prenatal diagnosis with cordocentesis, 126 vaccine for, 928

Rupture of membranes. See Membrane rupture, premature

Salpingitis, chlamydial, 439
Scleroderma, 966–967
Screening
for colorectal cancer, 976–977
for alpha-fetoprotein levels in maternal serum, 235–
236
laboratory tests in, 893–900
Seromas, wound, in gynecologic surgery, 759
Sexual activity
in endometriosis, 872
and preterm labor, 605, 607–608
Sexually transmitted disease, 453–463
Shirodkar cerclage, cervical, 591–592
Sickle cell anemia, prenatal diagnosis of, 275–276,

cordocentesis in, 125 Silver ligating clips in gynecologic surgery, 719

nuchal thickening in Down's syndrome, 81–82 preparation in gynecologic surgery, 684, 736–742

Smead-Jones closure technique in gynecologic surgery, 756
Smoking
and cardiovascular disease, 956, 994–995
and endometriosis, 797
and lung cancer, 992–994
and oral contraceptive use, 956, 995–996
and preterm labor, 524, 605
prevention and reduction of, 997, 1000
and reproductive health, 996–997
trends in, 990–992
Snoring, management of, 924–925
Socioeconomic status
and endometriosis, 793
and preterm birth rate, 523–524

Sodium content in body, 687 hypernatremia, preoperative, 690 hyponatremia postoperative, 763–764 preoperative, 690–691

serum levels of, 899
Somatization, 902–913
and common somatization syndrome, 907–910
conversion disorders in, 906
delusions in, 905–906
diagnosis of, 904–910
differential diagnosis of, 905
hypochondriasis in, 907
malingering in, 906

problems in, 903–904 psychogenic pain in, 907 treatment principles in, 910–913 Sonography. See Ultrasonography Spina bifida, 284

Spironolactone in hypertension, 948
Staphylococcus

in postpartum endometritis, 491 sensitivity to cephalosporins, 424 epidermidis, and preterm labor, 576

Starch preparations as volume expanders, 696 Sterilization procedures, and professional liability, 174–178

Stomatitis, aphthous, 923–924 Streptococci

> group B, 445–448 and preterm labor, 566–568 screening for, in pregnancy, 608 sensitivity to cephalosporins, 424 in postpartum endometritis, 446, 490

Sulbactam, ampicillin with, 430–431 Sulfamethizole in bacteriuria in pregnancy, 483 Sulfasoxazole in chlamydial cervicitis, 438

Surgery, gynecologic. See Gynecologic surgery Suture material and ligation clips in gynecologic surgery, 712–717 Absolok clips, 721–723, 726

absorbable material, 713, 720–723 ultrastructure in vitro and in vivo. 725–734 bacterial reactions to, 728–729 catgut, 712

tissue reactions to, 726 and dehiscence of wounds, 756–757 Lactomer clips, 621–723, 725, 726

mechanical properties of, 718-723 metallic clips, 718-720 nonabsorbable material, 713 nylon pouch used with, 731-732 polydioxanone clips, 713, 721, 725 polyglactin clips, 713, 721, 725 polyglycolic acid clips, 713, 720, 725 silver, 719 stainless steel, 720 tantalum, 719 Teflon, 720 tissue reaction to, 726-728 Sympatholytics, central, in hypertension, 949, 952 Syphilis, 457-460

Tachycardia, supraventricular, fetal, disorders associated with, 269 Tampon use, and endometriosis, 796-797 Tantalum ligating clips in gynecologic surgery, 719 Teflon clips in gynecologic surgery, 720 Temporomandibular syndrome, 924 Terazosin in hypertension, 948 Terbutaline

autoinfusion pump for, 631 in prevention of preterm labor, 609-610, 637-638 Testimony in malpractice trials, recommendations for, 201-208

Tetanus-diphtheria vaccine, 928 Tetracycline in cervicitis, chlamydial, 438 in genital Mycoplasma infection, 445 in gonorrhea, 456 in granuloma inguinale, 462 in lymphogranuloma venereum, 462 in postcesarean endometritis, 494 in salpingitis, chlamydial, 440 in syphilis, 458 in urethral syndrome, chlamydial, 437

Thalassemias gene therapy in, 402-403 prenatal diagnosis of, 277-278 Thiazide diuretics in hypertension, 948 Thrombocytopenia, fetal cordocentesis in. 125, 289-290 disorders associated with, 269

Thrombosis, deep venous, prevention in gynecologic surgery, 682-683, 768-769 Ticarcillin, clavulanic acid with, 430

Thyrotoxicosis, gynecologic surgery in, 678 Timolol in hypertension, 948

Tinnitus, 919

Tobramycin in postcesarean endometritis, 494 Tocodynamometry, 611, 616-633

**Tocolysis** agents in prevention of preterm labor, 609-610, 635-648

contraindications to, and ultrasound evaluation, 57-58 Tonsillitis, 924

Tort liability. See Liability, professional Toxemia of pregnancy, liver disease in, 986

Toxoplasmosis, prenatal diagnosis with cordocentesis,

Transfusions, 692-698 adverse reactions to, 696-697

albumin concentrates in, 695 artificial products in, 696 autologous blood in, 681, 695-696 cryoprecipitates in, 695 fresh frozen plasma in, 694-695 infections from, 697-698 intrauterine, 395-396 in fetal anemia, 24, 130-133 packed red cells or whole blood in, 693-694 plasma, 695 platelet, 694 white cells in, 694 Trauma of ear, 916-917 Treponema pallidum, 457-460 Trial preparation in malpractice actions legal perspective in, 190-200 medical viewpoint in, 184-189 Triamterene in hypertension, 948 Trichomoniasis, 473-475 and preterm labor, 573-574 Trimethoprim/sulfamethoxazole in cervicitis, chlamydial, 438 in chancroid, 461

in urinary tract infections, 1008-1011, 1013 in pregnancy, 483 Triploidy, fetal sonographic findings in, 89-91 Trisomy 13, fetal sonographic findings in, 85-87 Trisomy 18 fetal sonographic findings in, 84-85

and maternal serum alpha-fetoprotein levels, 317 Trisomy 21. See Down's syndrome Trophoblastic diseases, gestational, ultrasonography

in, 12-13 Tryptorelin in endometriosis, 840-853

Tumor(s) colorectal cancer screening, 976-977 early detection of cancer in asymptomatic patients,

fetal disorders associated with, 269 of head and neck, 925-926 malignancies in endometriosis, 784 in pregnancy

ovarian, ultrasonography in, 14-15 uterine, ultrasonography in, 15-17 smoking and lung cancer development, 992-994 Tumor necrosis factor in amniotic fluid, in infections

with preterm labor, 561 Turner syndrome, fetal sonographic findings in, Twins. See Multiple gestation

Typhoid fever vaccine, 929

Ultrasonography in cervical incompetence detection, 101-108, 588 and cordocentesis, 19-25, 123-133

Doppler studies for uterine and umbilical blood flow, 27-41, 119 continuous wave in, 28-29 duplexed pulsed wave in, 29-31

umbilical artery blood flow in, 33-37 umbilical vein blood flow in, 37-38 uterine artery blood flow in, 38-39

in ectopic pregnancy, 3-9 in fetal anomalies, and termination of pregnancy, 68-69, 93, 97-100

in fetal chromosome abnormalities, 80-94

and fetal echocardiography, 61-80 in fetal growth disorders, 44-50 in gestational trophoblastic diseases, 12-13 in pelvic masses in pregnancy, 14-17 in preterm labor, 53-59 review questions, 137-138 in threatened abortion, 9-12 in twin gestations, 110-120 Umbilical cord abnormalities of, disorders associated with, 269 blood flow studies with Doppler ultrasonography, 27-41, 119 blood sampling, 19-25, 123-133, 285-291 Ureaplasma urealyticum in genital infections, 442-445 in postpartum endometritis, 491 Ureteral obstruction, fetal disorders associated with, Urethritis, chlamydial, 436-437 Uric acid levels in serum, 899-900 Urinalysis as screening procedure, 898 in urinary tract infections, 1007 Urinary tract infections, 1003-1004 bacteriology in, 1003-1004 behavioral factors in, 1004-1005 host factors in, 1004 laboratory diagnosis of, 1006-1008 pathogenesis of, 1003-1005 in pregnancy, 480-486, 1014 and asymptomatic bacteriuria, 482-484

behavioral factors in, 1004–1005
host factors in, 1004
laboratory diagnosis of, 1006–1008
pathogenesis of, 1003–1005
in pregnancy, 480–486, 1014
and asymptomatic bacteriuria, 482–484
cystitis in, acute, 484–485
diagnosis of, 481–482
and preterm labor, 563–566
pyelonephritis in, acute, 485–486
pyelonephritis in, 1013–1014
in pregnancy, 485–486
recurrent, 1011–1013
treatment of, 1008–1011
Urine cultures, 1007–1008
Uteroropins, and initiation of labor, 538
Uterus
abnormalities of, and preterm labor, 527

activity in preterm labor, 529

633
accuracy of, 618
applicability to home environment, 618–619
characteristics of device in, 616–618
clinical applications of, 626–632
frequency of contractions in, 619–624
intensity of contractions in, 624–625

ambulatory monitoring of contractions, 611, 616-

interpretation of results in, 619 and maternal perception studies, 625–626 blood flow studies with Doppler ultrasonography, 27–41, 119 cervical evaluation by ultrasound in preterm labor, 57 cervical incompetence, 585–596, 602, 609 sonographic detection of, 101–108 decidual activation in initiation of labor, 544–547 fibroid tumors in pregnancy, ultrasonography of, 15–17 retrodisplacement in endometriosis, 794

Vaccine hepatitis B, 508 and immunizations for adults, 928-929 in papillomavirus infection, 506 Vagina, preparation for surgery, 739-740 Vaginitis, 473-478 in candidiasis, 475-477 in trichomoniasis, 473-475 Vaginosis, bacterial, 477-478 and preterm labor, 574-576, 604 Vasodilators in hypertension, 948-951 Venereal diseases, 453-463 Verapamil in hypertension, 948 Vestibulitis, nasal, 923 Virus infections, 501-508 cytomegalovirus, 503-504 hepatitis B, 506-508 herpes simplex, 501-503 papillomavirus, 504-506 Vitamin K<sub>1</sub>, intrapartum, and neonatal outcome, 655 Vitamin replacement therapy, 688 Warts, genital, in papillomavirus infection, 504-506

Warts, genital, in papillomavirus infection, 504–506
Weight
and endometriosis, 797
excessive. See Obesity
of fetus, estimation of, 653–654
in preterm fetus, 55–56
in twin gestations, 117–118
ultrasonography in, 47, 48–49, 54
Witnesses in malpractice trials, recommendations for,

201-208 Wrongful birth and wrongful life, legal aspects of, 241-245

X chromosome disorders, prenatal diagnosis of, 278

Yellow fever virus vaccine, 928

# **AUTHOR INDEX**

Allan, Lindsey D., 61 Amstey, Marvin S., 501 Angtuaco, Teresita, 353 Arger, Peter H., 3 Baker, Vicki V., 700 Bjorkman, David J., 979 Bowes, Watson A., Jr., 652 Burt, Randall W., 979 Burton, Barbara K., 293 Caine, Thomas H., 941 Campbell, Stuart, 97 Capen, Charles V., 673 Caritis, Steve N., 635 Carlson, John A., Jr., 761 Casev, M. Linette, 533 Chan, Linda, 635 Chegini, Nasser, 725 Coleman, Beverly G., 3 Creasy, Robert K., 599 Crombleholme, William R., 466 Daly, James W., 754 Darby, Marilyn I., 635 Davis, Craig C., 941 Day, Thomas G., 744 Dinsmoor, Mara J., 423 Dmowski, W. Paul, 829 Donnenfeld, Alan E., 80 Elias, Sherman, 390 Elkins, Thomas E., 408 Eschenbach, David A., 435 Escobedo, Marilyn B., 662 Fihn, Stephan D., 1003 Frigoletto, Fredric D., Jr., 179 Gabbe, Steven G., 1 Gerbie, Albert B., 779 Gibbs, Ronald S., 423 Godmilow, Lynn, 345 Hackett, Gerald A., 97 Haddow, James E., 306 Hadley, Carolyn B., 53 Hale, DeVon C., 893 Haney, A. F., 801 Heland, Kenneth V., 209 Henzl, Milan R., 840 Hogue, Carol J. Rowland, 989 Houston, Diana E., 787 lams, Jay D., 519, 599 Jackson, L., 328 Johnson, Anthony, 345 Johnson, Francee F., 599 Johnson, JoAnn M., 390 Johnson, Susan R., 408 Jones, Kirtly Parker, 874

Kalunian, Kenneth C., 963 Katz, Michael, 616 Kenyon, Sara Leslie, 97 Knight, George L., 306 Landers, Daniel V., 473 Landon, Mark B., 44 Lebow, Morton A., 217 Ludmir, Jack, 101 Ludomirski, Avi. 19 MacDonald, Paul C., 533 Magrina, Javier F., 686 Main, Denise M., 53, 521 Mason, James O., 989 Masterson, Byron J., 671, 736 Mattison, Donald R., 353 Mazor, Moshe, 553 McNeeley, S. Gene, Jr., 480 Melton, L. Joseph, III, 787 Mennuti, Michael T., 80 Merrill, James A., 779 Metzger, Deborah A., 801 Mill, Gerald P., 915 Miller, Michael M., 883 Mintz, Marshall C., 44 Moghissi, Kamran S., 823 Murray, Jeffrey C., 270 Muse, Ken, 813 Nadel, Allan S., 179 Nicolaides, Kypros H., 123 Niswander, Kenneth R., 169 Noller, Kenneth L., 787 Palomaki, Glenn E., 306 Parisi, Valerie M., 585 Pearse, Warren H., 139, 148 Peterson, Herbert B., 989 Purcell, Ganson, Jr., 162 Rebar, Robert W., 777, 883 Rhodes, Ann M., 233 Rightmire, Daniel A., 27 Roberts, Daniel K., 153, 201 Romero, Roberto, 553 Rutledge, Penny, 209 Samuels, Philip, 110 Scheerer, Lourdes J., 616 Scoville, Craig D., 963 Selwyn, Beatrice J., 787 Shingleton, Hugh M., 700 Smith, Robert C., 902 Soderstrom, Richard M., 174 Spence, Michael R., 453 Staker, Larry V., 891, 927 Stone, I. K., 712 Stone, Martin L., 184

#### AUTHOR INDEX

Strunk, Albert L., 190 Sweet, Richard L., 421 Thomas, Gary K., 915 Tolman, Keith G., 979 Tolsma, Dennis D., 989 von Fraunhofer, J. A., 718 Wapner, R. J., 328 Watts, D. Heather, 435 Weaver, David D., 253

Weiner, Carl P., 285 Weiner, Stuart, 19 Weinstein, Kate, 866 White, Keith C., 139, 141 Williamson, Roger A., 231, 270 Wilson, Emery A., 857 Wray, Robert B., 955 Yonekura, Margaret Lynn, 488

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION (Act of August 12, 1970: Section 3685, Title 39 United States Code) Date of Filing—October 1, 1988. Title of Publication—Clinical Obstetrics & Gynecology; Frequency of Issue—Quarterly; Annual Subscription Price—\$67.00; Location of Known Office of Publication—Downsville Pike, Rt. 3, Box 20-B, Hagerstown, MD 21740; Location of the Headquarters or General Business Offices of the Publisher—East Washington Square, Philadelphia, PA 19105; Publisher—J.B. Lippincott Company, East Washington Square, Philadelphia, PA 19105; Publisher—J.B. Lippincott Company, East Washington Square, Philadelphia, PA 19105; Mower—J.B. Lippincott Company, East Washington Square, Philadelphia, PA 19105; Known Bondholders, Mortgagees, and other security holders owing or holding 1 percent or more of total amount of bonds, mortgages, or other securities—Harper & Row Publishers, Inc., 10 East 53rd Street, New York, NY 10022. A. Total no. copies printed (net press run), average 12,625, actual 12,500; B. Paid circulation 1. Sales through dealers and carriers, street vendors and counter sales, average none, actual none; 2. Mail subscriptions, average 11,491, actual 11,239; C. Total paid circulation, average 11,491, actual 11,239; D. Free distribution by mail, carrier or other means. Samples complimentary, and other free copies, average 364, actual 419; E. Total distribution (sum of C and D), average 11,855, actual 11,658; F. Copies not distributed 1. Office use, leftover, unaccounted, spoiled after printing, average 770, actual 842, 2. Returns from news agents, none; G. Total (sum of E & F—should equal net press runs shown in A), average 12,625, actual 12,500. 1 certify that the statements made by me above are correct and complete. Tish Packman, Circulation Manager.

